MOLECULAR AND CELLULAR ENDOCRINOLOGY

Volume 162, Nos. 1–2 April 25th 2000

Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents / Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

At the Cutting Edge

What is a cAMP response unit?
W.J. Roesler (Canada) 1

Research Papers

Upregulation of estrogen receptors in the forebrain of aromatase knockout (ArKO) mice
V.R. Agarwal, C.M. Sinton, C.-L. Liang, C. Fisher, D.C. German, E.R. Simpson (USA) 9

Proglucagon cDNAs from the Leopard Frog, *Rana pipiens*, encode two GLP-1-like peptides
D.M. Irwin, P. Sivarajah (Canada) 17

Identification and cellular localisation of voltage-operated calcium channels in immature rat testis
A. Fragale, S. Aguanno, M. Kemp, M. Reeves, K. Price, R. Beattie, P. Craig, S. Volsen, E. Sher, A. D'Agostino (UK, Italy) 25

Mouse receptor-activity-modifying proteins 1, -2 and -3: amino acid sequence, expression and function
K. Husmann, P.M. Sexton, J.A. Fischer, W. Born (Switzerland, Australia) 35

Molecular characterization of myocardial fibrosis during hypothyroidism: evidence for negative regulation of the pro-α1(I) collagen gene expression by thyroid hormone receptor
W.-J. Chen, K.-H. Lin, Y.-S. Lee (Taiwan) 45

A PPARγ mutant serves as a dominant negative inhibitor of PPAR signaling and is localized in the nucleus
J. Berger, H.V. Patel, J. Woods, N.S. Hayes, S.A. Parent, J. Clemas, M.D. Leibowitz, A. Elbrecht, R.A. Rachubinski, J.P. Capone, D.E. Moller (USA, Canada) 57

Expression of alternatively spliced FGF-2 antisense RNA transcripts in the central nervous system: regulation of FGF-2 mRNA translation
A.W. Li, P.R. Murphy (Canada) 69

Expression of luteinising hormone and chorionic gonadotropin beta-subunit messenger-RNA and protein in human peripheral blood leukocytes
P.K. Hotakainen, E.M. Serlachius, S.I. Lintula, H.V. Alfthan, J.P. Schröder, U.-H.E. Stenman (Finland) 79

Tibolone inhibits leukocyte adhesion molecule expression in human endothelial cells
T. Simoncini, A.R. Genazzani (Italy) 87

Molecular cloning and properties of the chicken leptin-receptor (CLEPR) gene
G. Horev, P. Einat, T. Aharoni, Y. Eshdat, M. Friedman-Einat (Israel) 95

Immunodetection of adenylyl cyclase protein in tissues
Y. Ishikawa, B.S. Grant, S. Okumura, C. Schwencke, M. Yamamoto (USA, Japan) 107

Effect of deprival of LH on Leydig cell proliferation: involvement of PCNA, cyclin D3 and IGF-1
V. Sriraman, V.S. Rao, M.R. Sairam, A.J. Rao (India, Canada) 113

GH induced lipolysis stimulation in 3T3-L1 adipocytes stably expressing hGHR: analysis on signaling pathway and activity of 20K hGH
N. Asada, Y. Takahashi, M. Wada, N. Naito, H. Uchida, M. Ikeda, M. Honjo (Japan) 121

(Contents continued on inside back cover)

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

0303-7207(20000425)162:1:2;1-7

08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Volume 162, Nos. 1–2 April 25th 2000

Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents / Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

At the Cutting Edge

What is a cAMP response unit?
W.J. Roesler (Canada) 1

Research Papers

Upregulation of estrogen receptors in the forebrain of aromatase knockout (ArKO) mice
V.R. Agarwal, C.M. Sinton, C.-L. Liang, C. Fisher, D.C. German, E.R. Simpson (USA) 9

Proglucagon cDNAs from the Leopard Frog, *Rana pipiens*, encode two GLP-1-like peptides
D.M. Irwin, P. Sivarajah (Canada) 17

Identification and cellular localisation of voltage-operated calcium channels in immature rat testis
A. Fragale, S. Aguanno, M. Kemp, M. Reeves, K. Price, R. Beattie, P. Craig, S. Volsen, E. Sher, A. D'Agostino (UK, Italy) 25

Mouse receptor-activity-modifying proteins 1, -2 and -3: amino acid sequence, expression and function
K. Husmann, P.M. Sexton, J.A. Fischer, W. Born (Switzerland, Australia) 35

Molecular characterization of myocardial fibrosis during hypothyroidism: evidence for negative regulation of the pro-α1(I) collagen gene expression by thyroid hormone receptor
W.-J. Chen, K.-H. Lin, Y.-S. Lee (Taiwan) 45

A PPARγ mutant serves as a dominant negative inhibitor of PPAR signaling and is localized in the nucleus
J. Berger, H.V. Patel, J. Woods, N.S. Hayes, S.A. Parent, J. Clemas, M.D. Leibowitz, A. Elbrecht, R.A. Rachubinski, J.P. Capone, D.E. Moller (USA, Canada) 57

Expression of alternatively spliced FGF-2 antisense RNA transcripts in the central nervous system: regulation of FGF-2 mRNA translation
A.W. Li, P.R. Murphy (Canada) 69

Expression of luteinising hormone and chorionic gonadotropin beta-subunit messenger-RNA and protein in human peripheral blood leukocytes
P.K. Hotakainen, E.M. Serlachius, S.I. Lintula, H.V. Alfthan, J.P. Schröder, U.-H.E. Stenman (Finland) 79

Tibolone inhibits leukocyte adhesion molecule expression in human endothelial cells
T. Simoncini, A.R. Genazzani (Italy) 87

Molecular cloning and properties of the chicken leptin-receptor (CLEPR) gene
G. Horev, P. Einat, T. Aharoni, Y. Eshdat, M. Friedman-Einat (Israel) 95

Immunodetection of adenylyl cyclase protein in tissues
Y. Ishikawa, B.S. Grant, S. Okumura, C. Schwencke, M. Yamamoto (USA, Japan) 107

Effect of deprival of LH on Leydig cell proliferation: involvement of PCNA, cyclin D3 and IGF-1
V. Sriraman, V.S. Rao, M.R. Sairam, A.J. Rao (India, Canada) 113

GH induced lipolysis stimulation in 3T3-L1 adipocytes stably expressing hGHR: analysis on signaling pathway and activity of 20K hGH
N. Asada, Y. Takahashi, M. Wada, N. Naito, H. Uchida, M. Ikeda, M. Honjo (Japan) 121

(Contents continued on inside back cover)

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

0303-7207(20000425)162:1:2;1-7

08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Publication information: *Molecular and Cellular Endocrinology* (ISSN 0303-7207). For 2000, volumes 159–170 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/mce). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.nl). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; Tel. (+1)212-633-3730 [Toll free number for North American customers: 1-888-4ES-4ES-INFO (437-4636)]; Fax (+1)212-633-3680; E-mail: usinfo-f@elsevier.com

Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; Tel. (+31)20-4853757; Fax (+31)20-4853432; E-mail: nlinfo-f@elsevier.nl

Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel. (+81)3-5561-5033; Fax (+81)3-5561-5047; E-mail: info@elsevier.co.jp

Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192, Tel. (+65)434-3727; Fax (+65)337-2230; E-mail: asiainfo@elsevier.com.sg

Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Tel. (+55)21-509-5340; Fax (+55)21-507-1991; E-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk

If you need information about the journal, you can find all details (including full "Notes to Authors") on the World Wide Web: access under http://www.elsevier.nl/locate/mce or http://www.elsevier.com/locate/mce

(Contents continued from outside back cover)

Development of a human stanniocalcin radioimmunoassay: serum and tissue hormone levels and pharmacokinetics in the rat
P. De Niu, D.P. Radman, E.M. Jaworski, H. Deol, R. Gentz, J. Su, H.S. Olsen, G.F. Wagner (Canada, USA) 131

Expression of leukemia inhibitory factor (LIF) and LIF receptor (LIF-R) in the human adrenal cortex: implications for steroidogenesis
A.-M. Bamberger, H.M. Schulte, A. Wullbrand, R. Jung, F.U. Beil, C.M. Bamberger (Germany) 145

Early induction of the orphan nuclear receptor NOR-1 during cell death of the human breast cancer cell line MCF-7
T. Ohkubo, N. Ohkura, K. Maruyama, K. Sasaki, K. Nagasaki, H. Hanzawa, T. Tsukada, K. Yamaguchi (Japan) 151

Differential expression of human gonadotropin-releasing hormone receptor gene in pituitary and ovarian cells
S.K. Kang, K.W. Cheng, E.S.W. Ngan, B.K.C. Chow, K.-C. Choi, P.C.K. Leung (Canada, Hong Kong) 157

Expression of an estrogen receptor alpha variant protein in cell lines and tumors
M.J. Fasco, K. Keyomarsi, K.F. Arcaro, J.F. Gierthy (USA) 167

Regulation of PKC δ expression by estrogen and rat placental lactogen-1 in luteinized rat ovarian granulosa cells
C.A. Peters, R.E. Cutler, E.T. Maizels, M.C. Robertson, R.P. Shiu, P. Fields, M. Hunzicker-Dunn (USA, Canada) 181

Glucocorticoid receptors in the euryhaline teleost *Anguilla anguilla*
S. Marsigliante, S. Barker, E. Jimenez, C. Storelli (Italy, UK, Spain) 193

Volume-sensitive amino acid efflux from a pancreatic β-cell line
A.C.G. Grant, J. Thomson, V.A. Zammit, D.B. Shennan (UK) 201

Ligand structure-dependent differences in activation of estrogen receptor α in human HepG2 liver and U2 osteogenic cancer cell lines
K. Yoon, L. Pellaroni, K. Ramamoorthy, K. Gaido, S. Safe (USA) 209

(Contents continued on page 247)